




ZONING ATLAS

June 2007

Property Zoning M2 (see next page)



Section 26

24300 Hoover Rd



Legend

C - Conditional Rezoning

R-1-A	0
R-1-B	C-1
R-1-C	C-2
R-1-P	C-3
R-2	C-4
R-3	C-5
R-3-A	C-6
R-4	C-7
R-5	C-8
P	C-9
PB	C-10
SS	C-11
ARSENAL INDUSTRIAL DISTRICT	C-12
URBAN NEIGHBORHOOD	C-13
GATEWAY NEIGHBORHOOD	C-14
PUBLIC LAND	C-15
PUD	C-16
CITY SQUARE NEIGHBORHOOD	C-17
	C-18
	C-19
	C-20
	C-21
	C-22
	C-23
	C-24
	C-25
	C-26
	C-27
	C-28
	C-29
	C-30
	C-31
	C-32
	C-33
	C-34
	C-35
	C-36
	C-37
	C-38
	C-39
	C-40
	C-41
	C-42
	C-43
	C-44
	C-45
	C-46
	C-47
	C-48
	C-49
	C-50
	C-51
	C-52
	C-53
	C-54
	C-55
	C-56
	C-57
	C-58
	C-59
	C-60
	C-61
	C-62
	C-63
	C-64
	C-65
	C-66
	C-67
	C-68
	C-69
	C-70
	C-71
	C-72
	C-73
	C-74
	C-75
	C-76
	C-77
	C-78
	C-79
	C-80
	C-81
	C-82
	C-83
	C-84
	C-85
	C-86
	C-87
	C-88
	C-89
	C-90
	C-91
	C-92
	C-93
	C-94
	C-95
	C-96
	C-97
	C-98
	C-99
	C-100

ARTICLE XVII. INDUSTRIAL DISTRICTS

Section 17.01 Industrial classification.

Industry shall be classified as M-1, M-2, M-3 and M-4.

Section 17.02 Industrial standards.

All uses not herein expressly prohibited shall comply with the following table of standards.

	M-1	M-2	M-3	M-4
(a) Front Yards	8 ft.	25 ft.	150 ft.	200 ft.
	1. All building lines and front yards shall be established no closer to the street than the future street line as established by the Master Thoroughfare Plan of the City of Warren.			
	2. In an M-2 zone where a front yard has been established by the majority of the existing buildings in a block, all buildings hereinafter erected or altered shall conform to the building line thus established, provided no building in an M-2 zone shall be required to set back further than 50 feet. Provided, further, however, notwithstanding any provisions to the contrary, in M-2 zones, yards fronting on a major thoroughfare as defined by the Master Thoroughfare Plan for the City of Warren or front yards facing a residential district shall be fifty (50) feet.			
	3. In M-3 and M-4 zones, front yards may be utilized for parking or vehicles provided that the front fifty (50) feet of a lot or tract in an M-3 district and the front seventy-five (75) feet of a lot or tract in an M-4 district shall be landscaped and the balance shall be depressed at least two (2) feet so as to have all parked vehicles therein, completely out of sight or view of the roadway.			
(b) Side Yards, and rear yards.	None Twenty-five (25) foot side yard on a side street where rear yard abuts side yard of a lot containing a residence or in a residential district.	20' each	60' each	100' each
(c) Greenbelt	None, except when a side or rear yard abuts a zoning district other than industrial then eight (8) feet wide as per Section 2.26.	Along all zoning district boundary lines which border on a more restrictive zoning district. Along all street property lines but may be omitted along the front yard when the front yard is landscaped.		
		8' wide as per [Section 2.26]	20' wide as per Section 2.26	20' wide as per Section 2.26
(d) Height of buildings See Article XIX for Height Exceptions	2 stories 30 feet	2 stories 30 feet	2 stories 40 feet	2 stories 40 feet
			(See Height Exceptions)	
(e) Dwelling	No	No	No	No

(f) Commercial Business	Yes	Yes	No	No
	Commercial Business as regulated in this Ordinance		(Except body and fender shops, outdoor theaters, antenna towers and those uses incidental to the principal uses thereof)	
(g) Automatic Screw Machines	Yes	Yes	Yes	Yes
	When operated with noise silencers or by other sound absorbing devices and when located not less than 200 feet from any zoned residential district.			
(h) Stamping machines, punch presses, press breaks and hydraulic presses used only for tryout purposes.	All machines shall be placed on shock absorbing mountings and on a suitable reinforced concrete footing. No machine shall be loaded beyond the capacity as prescribed by the manufacturer.			
	Up to 10 tons for 18 gauge metal or less in thickness when located 200 ft. from any zoned residential district.	Up to 50 ton when 250 ft. from residential district. Up to 100 ton when 300 ft. from residential district. Up to 150 ton when 500 ft. from residential district.		
(i) Hot forgings steam or board hammers	No	No	Yes	Yes
			When located 1,000 ft. from any zoned residential district and when operations are located within a masonry building, on a suitable reinforced concrete mat mounted on shock absorbers that reduce vibration to a reasonable minimum.	
(j) Noise decibels as measured at the street or property line which-	75	80	85	90

ever causes the largest reading.				
	All mechanical noise shall be muffled so as not to become objectionable due to intermittence, beat frequency or shrillness. Noise may equal but shall not exceed average street traffic noise during such periods that traffic noise exceed above decibel readings.			
(k) Smoke, as measured by the Ringlemann Chart	No 2	No. 2	No. 2	No. 2
	For periods aggregating four (4) minutes in any thirty (30) minutes.			
		No. 3	No. 3	No. 3
	For periods aggregating three (3) minutes in any fifteen (15) minutes when starting a new fire.			
(l) Smoke, dust, dirt, and fly ash	Shall not exceed 0.3 grains per cubic foot of flue gas at stack temperature of 500 degrees Fahrenheit and not to exceed fifty (50) percent excess air and shall in no manner be unclean, destructive, unhealthful, hazardous nor shall visibility be impaired by the emission of a haze which unduly impedes vision without apparent opaqueness equivalent to No. 1 of the Ringlemann Chart.			
(m) Odors	The emission of obnoxious odors of any kind shall not be permitted which are contrary to the public health, safety and general welfare.			
(n) Gases	No gas shall be emitted which is deleterious to the public health, safety or general welfare.			
(o) Glare and heat	Glare and heat from arc welding, acetylene torch cutting or similar processes shall be performed so as not to be seen from any point beyond the outside of the property.			
(p) Fire and safety hazards (the storage and handling of flammable liquids, liquefied petroleum gases and explosives shall comply with State rules and regulations as established by Public Act No. 207, P.A. 1941 [MCL 29.1 et seq.], as amended, and in addition the following regulations shall apply): Bulk storage of flammable liquids, liquid	No	No	Yes	Yes

petroleum gases and explosives allowed above ground if conditions meet those established by Chapter 13 of the Warren Codified Ordinances - Fire Prevention and Protection and Michigan flammable Liquids Regulations as amended.				
			All tanks shall be located not less than one hundred fifty (150) feet from property lines.	
Bulk storage of flammable below ground	Yes	Yes	Yes	Yes
	All tanks shall be located not closer to the property line than the greatest depth to the bottom of the buried tank.			
Rags, waste, similar materials	No	No	Yes	Yes
			The storage of rags, wastes, paper or similar materials shall be in an enclosed masonry building of four (4) hour construction, no part of which may be located closer than one hundred fifty (150) feet from any property line.	
(q) Sewage Waste	1. No wastes shall be discharged in the public sewer system which is dangerous to the public health and safety.			
	2. Acidity or alkalinity shall be neutralized to a pH of 7.0 as a daily average on a volumetric basis, with a temporary variation of [sic].			
	3. Wastes shall contain no Cyanides and no Halogens and shall not contain more than 10 ppm of the following gases: Hydrogen Sulphide, Sulphur Dioxide and Nitrous Oxide.			
	4. Wastes shall not contain any insoluble substances in excess of 10,000 ppm or exceed a daily average of 500 ppm or fail to pass a No. 8 Standard Sieve, or, have any dimensions greater than ½ inch.			
	5. Wastes shall not have chlorine demand greater than 15 ppm.			
	6. Wastes shall not contain phenols in excess of .005 ppm.			
	7. Wastes shall not contain any grease or oil or any oily substance in excess of 50 ppm or exceed a daily average of 25 ppm.			
(r) Number of Production work	From 6:00 a.m. to 11:00 p.m. if nearest residence is two	24 hrs.	24 hrs.	24 hrs.

hours including Sunday and holidays.	hundred (200) feet or more from industrial plant.			
	7:00 a.m. to 7:00 p.m. if nearest residence is less than two hundred (200) feet from industrial plant.			
(s) Open storage other than junk	Yes	Yes	Yes	Yes
		All open storage shall be located in a designated area approved by the Planning Commission as a part of site plan approval. The area shall be enclosed on three (3) sides by chain link fencing with metal/plastic slats used for screening as deemed necessary by the Planning Commission. In M-3 and M-4 zones the Planning Commission shall determine whether screening of the outside storage is necessary based on the relationship of the storage to properties zoned residential as identified in Section 3.01(1—7) of the Zoning Ordinance.		
		The designated area shall always be hardsurfaced and screened from the public street and any residentially zoned areas. The designated areas shall not be located in any area required for parking space and is necessary to meet the minimum requirements of Section 4.32 of this ordinance. Further, the designated area may not exceed fifty (50) percent of the gross floor area of the primary structure on the site except in M-3 and M-4 zones where the amount of outside storage area is not limited based on the size of the primary structure. In M-1 and M-2 zones the designated area shall not be located any closer than seventy-five (75) feet to the front property line unless the size of the lot is less than one hundred fifty (150) feet in depth in which case the Planning Commission may allow the designated area to be located no closer than twenty-five (25) feet from the front property line. In M-3 and M-4 zones outside storage may not be closer than one hundred fifty (150) feet from any street right-of-way line.		
		Lumber, including wood pallets or other combustible material, shall not be stored less than twenty (20) feet from any interior lot line. An open driveway shall be provided that has a graded roadway, is hardsurfaced and maintained from the street to the storage area in order to permit clear access for fire trucks at any time to the open storage areas.		
(t) Open storage for junk,	No	No	No	Yes

auto wrecking yards and other waste products.				
			When enclosed within a tight unpierced fence not less than six (6) feet in height, when not less than one hundred fifty (150) feet from any street or right-of-way line, when not less than twenty (20) feet from any interior lot line, when surrounded with a greenbelt planting strip not less than twenty (20) feet in width and not less than eight (8) feet in height to completely screen yard from outside view, and when complying with Section 4.13.	
(u) Loading space as required in Section 4.31.	Yes	Yes	Yes	Yes
(v) Off-street parking for any permitted use as required and regulated by Section 4.32.	Yes	Yes	Yes	Yes
	Such parking area shall be paved within a period of two (2) years from date of issuance of a Certificate of Occupancy for the principal building for which said permit was issued.			
(w) Source of Power	Power for any manufacturing or heating process or activity shall be derived only from electrical energy, smokeless fuels, such as gas or oil, smokeless solid fuels containing less than twenty (20) percent of volatile content on a dry basis, and bituminous coal fired by mechanical equipment.			
(x) Vibration	No operation shall cause a ground displacement exceeding .003 of one (1) inch as measured at the boundary line property.			
(y) Radioactive Materials	Radioactive materials shall not be emitted to exceed quantities established by the U.S. Bureau of Standards.			
(z) Sexually oriented businesses	Sexually oriented businesses, as defined in and regulated by Chapter 6 of the Warren Code of Ordinances, are allowed in all Industrial Districts. Sexually oriented businesses may use any industrial lot, without regard to the lot area and lot width provisions in Section 17.04. Within 45 days of receiving an application to split a lot, subdivide a parcel, or combine lots or parcels, in order to facilitate the siting of a sexually oriented business, the Planning Director shall grant the application, provided that the application:(1) Is accompanied by the required application fee; and(2) Contains maps of the proposed resulting parcel(s) showing that the proposed location of the sexually oriented business satisfies the location criteria of Section 14.01(s)(3).			

(aa) <i>Marihuana Businesses and Caregiver Operations</i> as provided for by Warren Code of Ordinances, Chapter 19.5 and Appendix A, Article IV-G	Yes	Yes	Yes	Yes
---	-----	-----	-----	-----

(Ord. No. 30-156, § 1, 12-22-64; Ord. No. 30-457, § 1, 2-12-74; Ord. No. 30-556, § 1, 3-28-78; Ord. No. 30-835, § 8, 2-22-84; Ord. No. 30-881, § 4, 10-28-97; Ord. No. 30-1002, § 4, 10-22-13; Ord. No. 30-1004, § 1, 6-11-14; Ord. No. 30-1020, § 5, 4-12-16; Ord. No. 30-1023, § 1, 9-13-16; Ord. No. 30-1064 , § 5, 4-27-21)

Section 17.03 Prohibited uses.

In all industrial districts no building shall be erected or altered and no land shall be used for the carrying on of manufacturing activities of the character of or similar to slaughter houses, rendering plants, tanneries, stock yards, glue factories, soap factories, oil refineries or other similar factories, provided, however, the Board of Appeals may permit a prohibited use or a use of like character in an M-4 District on the following conditions:

- (a) The use shall be located at least one thousand (1,000) feet from every residential district.
- (b) The use shall be located at least one hundred fifty (150) feet from any non-residential district, except slaughtering, rendering and penning uses.
- (c) All slaughtering, rendering and penning (only such animals are to be slaughtered on premises) shall be located in an M-4 Zoning District of at least one thousand (1,000) feet from any other zoned district.
- (d) Dry rendering process only shall be used.
- (e) The waste and by-products obtained from the slaughtering operations, conducted on the premises may be transported to some other location to be rendered; however, no rendering shall be permitted on products originating outside of said slaughter house.
- (f) All paunch manure and all stock pen manure shall be removed daily.
- (g) All sanitary facilities shall be approved by the City of Warren Building Department and the Macomb County Board of Health.
- (h) The applicant shall furnish satisfactory evidence that the use can and will comply with the requirements of Industrial Performance Standards as specified in Section 17.02.

Section 17.04 Area and widths.

Area and widths of industrial lots shall comply with the following schedule, except those lots of record at the time of adoption of this Ordinance:

Zone	Lot Area	Lot Width
M-1	10,000 sq.ft.	60 ft.
M-2	20,000 sq.ft.	100 ft.
M-3	50,000 sq.ft.	200 ft.
M-4	Subject to approval of Planning Commission	