




Tower 42, 25 Old Broad Street, London EC2N 1HQ 2,880 – 18,244 sq ft available

## CHOOSE42 Total Leasing Flexibility



- Fan coil air conditioning
- 19 x 18 person fully refurbished lifts
- Units available either in Cat A condition or with a high quality fit out in situ
- Raised floors
- 24hr access and security





FLOOR	LEAF A	LEAF B	LEAF C	TOTAL
	sq ft/sq m	sq ft/sq m	sq ft/sq m	sq ft/sq m
35	2,997/279	3,087/289	3,087/289	9,424/876
20	2,880/268	_	2,970/276	5,850/544
19	_	_	2,970/276	2,970/276
Total				18,244/1,696

Note: Individual leases are available on each floor from 2,880 sq ft upwards. In due course the landlord will have the ability to offer additional floors.

Rent: From £62.50 per sq ft per annum

Average Rates: Approximately £25.15 per sq ft per annum

Service Charge: £14.55 per sq ft per annum

Estate Charge: £2.41 per sq ft per annum

PPM Charge: £2.35 per sq ft per annum

The building is elected for VAT

EPC Rating: D

All negotiations are subject to contract, receipt of satisfactory references and where appropriate, landlord's consent.

All rents and prices quoted are exclusive of VAT.

Viewing through joint agents:



Anna Biggin +44 (0)20 7182 3352 anna.biggin@cbre.com

Tom Meijer +44 (0)20 7182 2778 tom.meijer@cbre.com



Jake Halstead +44 (0)20 7029 3610 j.halstead@inglebytrice.co.uk

Mark Brown +44 (0)20 7029 3620 m.brown@inglebytrice.co.uk

www.tower42.com

MISREPRESENTATION ACT 1967 and CONSUMER PROTECTION REGULATIONS 2008. CBRE and Ingleby Trice, their clients and any joint agents, give notice that: (i) These particulars do not form part of any offer or contract and must not be relied upon as statements or representations of fact. (ii) No person in the employment of the agent(s) has any authority to make or give any representation or warranty whatever in relation to this property. (iii) Floor areas, measurements or distances given are approximate. Unless otherwise stated, any rents, or outgoings quoted are exclusive of VAT. (iv) Any descriptions given of the property cannot be taken to imply, it is in good repair, has all necessary consents, is free of contamination, or that the services and facilities are in working order. Interested parties are advised to carry out their own investigations as required. October 2017.