

Martin Marietta Aggregates





Central Region
800 NORTH CAUSEWAY BOULEVARD
MANDEVILLE, LOUISIANA



FLOOR PLAN

- THE SCOPE OF WORK FOR THIS PROJECT IS AS FOLLOWS:
1. THE TENANT SPACE TO BE RE-CONFIGURED IS LOCATED ON THE SECOND FLOOR OF A TYPE 1 CONCRETE BUILDING WITH INDEPENDENT EXITING TO GRADE BY MEANS OF A PROTECTED SECOND LEVEL PARKING AREA AND PROTECTED STAIRS FROM AN OPEN AIR BALCONY.
 2. RE-CONFIGURE EXISTING INTERIOR LAYOUT TO CONFORM TO THE ONE INDICATED IN THESE DRAWINGS.
 3. CONSTRUCT NEW INTERIOR WALLS WITH 20 GAUGE METAL STUDS WITH 5/8" GYPSUM BOARD ON EACH SIDE.
 4. THERE WILL BE NO WORK TO THE EXISTING MECHANICAL AND ELECTRICAL SYSTEMS.
 5. PROTECT EXISTING INTERIOR FINISHES TO BE REUSED FROM DAMAGE DURING CONSTRUCTION.
 6. INSTALL AND RELOCATE EXISTING EXIT SIGNAGE AS INDICATED IN THE DRAWINGS.
 7. PROVIDE FIRE EXTINGUISHERS AS PER NFPA 10.
 8. REFER TO LOUISIANA STATE FIRE MARSHAL'S APPEAL # 2874 (P0204262) FOR INFORMATION RELATIVE TO THE FIRE RATINGS OF THE MAIN BUILDING.

NEW WALLS
XXXXXX
EXISTING WALLS



LOCATION PLAN

HBSA II
HARRY BAKER SMITH ARCHITECTS II
A LIMITED LIABILITY COMPANY
3325 HESSLER AVENUE, SUITE 305
MANDEVILLE, LOUISIANA 70155
(504)885-4477 FAX: (504)885-4377
Email: central@hbsaii.com

Martin Marietta Aggregates

Central Region
800 NORTH CAUSEWAY BOULEVARD
MANDEVILLE, LOUISIANA

THESE PLANS AND SPECIFICATIONS HAVE BEEN PREPARED BY ME OR UNDER MY CLOSE PERSONAL SUPERVISION AND TO THE BEST OF MY KNOWLEDGE AND BELIEF THEY COMPLY WITH ALL CITY, STATE AND FEDERAL REQUIREMENTS AND I AM NOT PROVIDING CONTRACT ADMINISTRATION.

CERTIFIED CORRECT

REVISION	DATE	DESCRIPTION

PROJECT# 0329
DRAFTER HANK
DATE 11/28/03
CHECKER SAME
DATE SAME
SCALE 1/8"=1'-0"
SHEET#

A1.1