



NOTE
SEE EXTERIOR RENOVATION PLANS
DRAWING SET REGARDING PROPOSED
FRONT FACADE WORK.

CONTRACTOR TO INSTALL (2) LAYERS
OF 5/8" THICK GYPSUM BOARD TO THE
BOTTOM OF EXISTING CEILING JOISTS
TO MAINTAIN LADDER RUN RISERS IN
STAIRWELL.

EXISTING WOOD ROOF STRUCTURE TO REMAIN
AS IS. PER OWNER REQUEST, ANALYSIS
PERFORMED NO ANALYSIS OF THE EXISTING
ROOF MEMBERS OF THE AREA OF THE
FACILITY SINCE NO WORK ON THE
STRUCTURE OF THE AREA WAS ANTICIPATED.

1 BUILDING SECTION
SCALE: 1/4"=1'-0"

NO.	DATE	BY	REVISIONS
1	11/15/24	J.M.	ISSUED FOR PERMIT
2	11/15/24	J.M.	REVISIONS TO PERMIT
3	11/15/24	J.M.	REVISIONS TO PERMIT
4	11/15/24	J.M.	REVISIONS TO PERMIT
5	11/15/24	J.M.	REVISIONS TO PERMIT
6	11/15/24	J.M.	REVISIONS TO PERMIT
7	11/15/24	J.M.	REVISIONS TO PERMIT
8	11/15/24	J.M.	REVISIONS TO PERMIT
9	11/15/24	J.M.	REVISIONS TO PERMIT
10	11/15/24	J.M.	REVISIONS TO PERMIT

DESIGNED BY: J.M.
CHECKED BY: J.M.
DRAWING NO.: 24-0000-0000-0000
DATE: 11/15/24
PROJECT: 24-0000-0000-0000
DRAWING: 24-0000-0000-0000



ARMENTROUT • ROEBUCK • MATHENY
CONSULTING GROUP, P.C.
ENGINEERS-ARCHITECTS-CONSTRUCTION MANAGERS
1000 WASHINGTON STREET, SUITE 1000
ATLANTA, GEORGIA 30334
PHONE: (404) 525-1111
FAX: (404) 525-1111
WWW: www.armmentrout-roebuck-matheny.com



PROJECT 07096
TIMMOJIS, WARNES & ANDERSON OFFICE
244 E. WASHINGTON STREET
ATHENS, GEORGIA
BUILDING SECTION